# MAINTENANCE TECHNICAL SUPPORT CENTER / MAINTENANCE POLICIES & PROGRAMS ENGINEERING / UNITED STATES POSTAL SERVICE

# maintenance management order UNITED STATES



**SUBJECT:** PM Guidelines for CCTV Cameras **DATE:** July 29, 1998

**NO:** MMO-056-98

TO: Bulk Mail Centers FILE CODE:

dewa:M94160AC

This Maintenance Management Order (MMO) provides Preventive Maintenance (PM) guidelines for Closed Circuit Television (CCTV) cameras and supersedes Maintenance Checklist B077.

The minimum maintenance skill level to perform each task on the various checklists is included in the Minimum Skill Level column. This does not preclude higher level employees from performing any of this work.

#### WARNING

Various products which require material Safety Data Sheets (MSDS) may be utilized during the performance of the procedures in this bulletin. Ensure the current MSDS for each product used is on file and available for reference by all employees. As a minimum, obtain a current MSDS every two years.

The attached master checklist provides tasks to be performed at periodic intervals (as noted in the frequency column), the time required per task, and the minimum skill level for each task. Given local conditions, management may modify tase frequencies.

For questions or comments concerning this bulletin contact the MTSC HelpDesk, either online at MTSC>HELPDESK>Create/Update Tickets or call (800) 366-4123.

Rex M. Gallaher
Manager
Maintenance Technical Support Center
Maintenance Policies and Programs

Attachments: 1. Summary of Revised Workload Estimate

2. CCTV Cameras Master Checklist

#### **ATTACHMENT 1**

#### -SUMMARY-

#### **REVISED WORKLOAD ESTIMATE**

#### **FOR**

#### **CCTV CAMERAS**

Routine Servicing (hrs/yr)	Repair* (hrs/yr)	Total Servicing & Repair Time (hrs/yr)	Nonproductive Time ** (hrs/yr)	Total Servicing Per Machine (hrs/yr)
0.8	0.2	1.0	0.1	1.1

<sup>\*</sup> Repair estimates based on 30% of servicing.

#### **TIME TOTALS**

**Quarterly Time Total:** 

0.2 Hrs. \*\*\*

#### **NOTE**

The time shown does not allow for multiple assemblies on any equipment. Should multiple assemblies exist, the time must be modified at the local level to account for those occurrences. Other unique site conditions that requires additional time are to be addressed at the local level.

<sup>\*\*</sup> Based on 10% of total servicing and repair.

<sup>\*\*\*</sup> These times are provided for data entry for the MARS System.

### THIS PAGE BLANK

#### **ATTACHMENT 2**

#### **CCTV CAMERAS MASTER CHECKLIST**

03-CCTV-A-001-M

The "Part or Component" column for each step on the Master Checklist provides a "Frequency Code:" designation followed by a letter or series of letters. These letters correspond to the frequency codes as published in MS-63 and specify the frequency for which that instruction (step) must be performed. These frequency codes are in compliance with NMICS superseding route structure. The possible frequencies and their codes are given in the table below:

Table 2-1. MS-63 (NMICS) Frequency-Codes

CODE	FREQUENCY	DESCRIPTION
Α	ANNUAL	Once every 13 APs.
В	BI-WEEKLY	Once every 2 weeks
С	BI-MONTHLY	Once every 2 APs.
D	DAILY	Once a day; 7 days a week.
Ε	DAILY	Once a day; 6 days a week.
F	DAILY	Once a day; 5 days a week.
G	DAILY	Once a day; 4 days a week.
Н	DAILY	Once a day; 3 days a week.
J	SEMI-WEEKLY	2 days a week.
K	BI-ANNUAL	Once every 2 years.
L	TRI-ANNUAL	Once every 3 years.
M	MONTHLY	Once every AP.
N	QUAD-ANNUAL	Once every 4 years.
Р	QUINT-ANNUAL	Once every 5 years.
Q	QUARTERLY	4 times every 13 APs.
S	SEMI-ANNUAL	Twice every 13 AP.
T	TOURLY	3 times a day; 7 days a week.
U	TOURLY	Twice a day; 7 days a week.
V	TOURLY	3 times a day; 6 days a week.
W	WEEKLY	Once a week.
X	TOURLY	Twice a day; 6 days a week.
Υ	TOURLY	3 times a day; 5 days a week.
Z	TOURLY	Twice a day; 5 days a week.

SAFETY 1. **COMPLY WITH ALL SAFETY PRECAUTIONS. -** 3 All STATEMENT **Disconnect power and activate lockouts as** min

U.S. Postal Service			IDENTIFICATION										
Maintenance Checklist		Work Equip		•			Class Code:		Number		Туре		
	0	3	С	С	T	٧			Α	0	0	1	M
Equipment Nomenclature	Equipment Model			Bulletin Filename			Frequency						
CCTV CAMERAS						N	1941	60 <i>k</i>	4C	ALL		-	

Part or	Item	Task Statement and Instruction	Est.	Min.
Component	No.	(Comply with all current safety precautions)	Time	Skill
·			Req'd	Level

## Frequency Code:

--Q--

appropriate while working on this equipment. Where air pressure is required for cleaning, use a low air pressure (30 psi or less) air source. Eye protection (goggles or face shield) must be used when utilizing compressed air for cleaning. Check to ensure all employees are clear of the machine. Report safety deficiencies to your supervisor immediately upon detection.

#### WARNING

Be cautious when working around or on equipment when power has been applied.

CAMERA	2.	CLEAN LENS Clean glass or lens with lens tissue.	1 min/	4
Frequency Code: Q			unit	
Frequency Code: Q	3.	<b>DUST EXTERIOR.</b> - Dust exterior and check cable connections.	1 min/ unit	4
Frequency Code: Q	4.	<b>CHECK CONTROL SETTINGS.</b> - Check control settings and adjust if necessary.	2 min/ unit	5
Frequency Code: Q	5.	CHECK MOUNTING Check for secure mounting.	2 min/ unit	4
CLEAN-UP	6.	<b>CLEAN-UP</b> Ensure all tools, rags, etc., are removed from the work area.	3 min	All
Frequency Code: Q				